

## PROFIL

aluminium | 4000 K | 1104 lm

Product code: 62709

### An extremely low and efficient profile fixture

LIMENTE PROFIL is a part of LIMENTE collection. The LIMENTE collection provides the best quality of light in technical features, such as efficiency and color rendering, and maximizes the lifespan of the product. PROFIL is a simple and cost-efficient choice to light up your kitchen! The led profile is available in five different standard lengths. The fixture has an IP44 classification, which makes it possible to be installed under a drying cabinet. Due to the excellent light output, the profile fixtures can be placed even 60-80cm apart! You'll receive excellent light on your cooktop, when the fixtures are placed on both sides of the cooker hood.

LIMENTE PROFIL has a perfect color rendering ( $R_a > 90$ ). The fixture has a light output of 1100 lm/m and a color temperature of 4000K. Due to the excellent technical values, our LUX models reproduce natural colors optimally, which really makes colors come alive! The products in our LIMENTE PROFIL collection are all granted with a three-year additional warranty in addition to our two-year warranty granted for all our products.

[Learn more from our website](#)

### Dimming and lighting control


Suitable lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE PROFIL with our wireless system. You can use the same switch to adjust all the LIMENTE lights in the room, including various ceiling, panel and profile lights. The light adjusts smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

### Installation

LIMENTE PROFIL is fast and easy to install with the installation parts included.

[Learn more from our website](#)



#### THE FOLLOWING ITEMS ARE INCLUDED

- lamp with quick connector
- 3 m power cord
- cable tray
- fasteners x 4

## PROFIL 117 AL PROFILE LIGHT

## OVERVIEW

PRODUCT CODE	62709
GTIN-CODE	6438400000612
ELECTRICAL NUMBER	4129652
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Alulook
LAMP TYPE	LED

## SPECIFICATIONS


PRODUCT DIMENSIONS	1170.0 x 17.0 x 8.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	> 95
RATED LIFE TIME	102.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1104 lm
EFFICIENCY	100 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	
INPUT POWER	11 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	36
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-profil-lux.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-profil-lux.pdf</a>

## PROFIL 117 AL PROFILE LIGHT

## RECOMMENDED ACCESSORIES


PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640552	SMART 552, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640554	SMART 554, LUXUS LIGHTCONTROL KIT, 24 V, BLACK
640556	SMART 556, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE
640557	SMART 557, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE
640551	SMART 551, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640425	SMART 425, WIRELESS LIGHT CONTROL

## PROFIL 117 AL PROFILE LIGHT




## PROFIL 117 AL PROFILE LIGHT

Profil



LIMENTE  
HELSINKI

Profil LUX + Greenline



LIMENTE  
HELSINKI