

LED-PROFIL IR

aluminium | 4000 K | 1551 lm

Product code: 62715

An extremely low and efficient profile fixture with an IR switch

LIMENTE LED-PROFIL LUX-IR is a part of LIMENTE LUX collection. The LIMENTE LUX collection provides the best quality of light in technical features, such as efficiency and color rendering, and maximizes the lifespan of the product. LED-PROFIL LUX-IR is a simple and cost-efficient choice to light up your kitchen! The led profile is available in five different standard lengths. The fixture has an IP44 classification, which makes it possible to be installed under a drying cabinet. Due to the excellent light output, the profile fixtures can be placed even 60-80cm apart! You'll receive excellent light on your cooktop, when the fixtures are placed on both sides of the cooker hood.

LIMENTE LED-PROFIL LUX-IR has a perfect color rendering ($R_a > 90$). The fixture has a light output of 1100 lm/m and a color temperature of 4000K. Due to the excellent technical values, our LUX models reproduce natural colors optimally, which really makes colors come alive! The products in our LIMENTE LUX collection are all granted with a three-year additional warranty in addition to our two-year warranty granted for all our products.

[Learn more from our website](#)


Dimming and lighting control

LIMENTE LED-PROFIL LUX-IR is not dimmable with separate dimmers. The fixture has an integrated on/off switch, which is activated with a wave of a hand.

Easy installation

LIMENTE LED-PROFIL LUX-IR is fast and easy to install with the installation tools included. The fixture has an integrated IR switch, so no separate light switch is needed.

[Learn more from our website](#)



THE FOLLOWING ITEMS ARE INCLUDED

- lamp with quick connector
- integrated ON/OFF IR switch
- 3 m power cord
- cable tray
- fasteners x 4

PROFIL 146 IR AL PROFILE LIGHT

OVERVIEW

PRODUCT CODE	62715
GTIN-CODE	6438400001633
ELECTRICAL NUMBER	4129700
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Alulook
LAMP TYPE	LED

SPECIFICATIONS

PRODUCT DIMENSIONS	1465.0 x 17.0 x 9.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	35.000h (L80B10)
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1551 lm
EFFICIENCY	53 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	
INPUT POWER	29 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	Top, hole Ø 8 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	36
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_led-profil-lux-ir.pdf

PROFIL 146 IR AL PROFILE LIGHT

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
LED28030	LED POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LED POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LED POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS

PROFIL 146 IR AL PROFILE LIGHT

