

## DSC 12DIM

white/black | dimmable | 12 W | 935 lm | CRI>90

Product code: 62734



### Versatile ceiling lamp

The LIMENTE DSC ceiling light is designed to offer a versatile lighting option that is easily suitable for more than one need. The slim ceiling lamp, about 15 mm, blends in elegantly with the ceiling. The frame of the lamp is white, but with the included magnetically attached cover, the frame can also be converted to black. If the mind changes and you want white from the black lamp frame again, you can remove the magnetically attached cover neatly and easily. The color temperature of the lamp can be adjusted to the desired temperature, either warm 3000 K, white 4000 K or cold 6000 K, depending on which of these best matches the room and its other light sources. The color temperature is selected using the slider on the bottom of the lamp and is selected during installation.

The lamp is available in three different sizes, 6 W, 12 W and 18 W. When one product has several options in terms of size, temperature, color and installation method, it makes the choice of the product easier and it is more suitable for more than one object.

[Learn more from our website](#)

### Dimming and light control

By adjusting the light, you can always customize the light and create lighting that suits your home and the situation. By dimming the LIMENTE LED-DSC, you change the lighting of your home from efficient and bright to dim and cozy. If you wish, you can use the same switch to adjust all the LIMENTE lights in the room, including the various ceiling, panel and furniture lamps. The light adjusts evenly and at the same time, changing the atmosphere of the entire space at once.

[Learn more from our website](#)

### Easy installation

LIMENTE DSC panel lamps are easy and quick to install. Although the lamp itself is square, the mounting hole is round, as it is easier to make a round hole than square one. The size of the installation opening is freely selectable in the specified range (see installation instructions). Thanks to the sliding mounting rail, the luminaire can be mounted in a previously cut mounting hole if its size falls within the range of this adjustment allowance.

[Learn more from our website](#)

#### THE FOLLOWING ITEMS ARE INCLUDED

- panel lamp, with integrated driver
- junction box
- fasteners
- plastic free packaging

## DSC-12DIM WH+BL PANEL LIGHT




## OVERVIEW

PRODUCT CODE	62734
GTIN-CODE	6438400003347
ELECTRICAL NUMBER	4129796
ETIM GENERAL NAME	Downlight
ETIM CLASS	Downlight/spot/floodlight EC001744
ETIM GROUP	41 Domestic light fittings
COLOUR	White, Black
LAMP TYPE	LED

## SPECIFICATIONS

PRODUCT DIMENSIONS	165.0 x 165.0 x 15.0
MOUNTING METHOD	Surface mounted/recessed mounted
COLOUR TEMPERATURE	3000 / 4000 / 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	45.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	935 lm
EFFICIENCY	78 lm/W
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	12 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-dsc.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-dsc.pdf</a>

## DSC-12DIM WH+BL PANEL LIGHT



## DSC-12DIM WH+BL PANEL LIGHT

