


PROFIL IR-DIM

aluminium | 4000 K | 1226 lm

Product code: 62754



An extremely low and efficient profile fixture with an IR switch

LIMENTE PROFIL IR-DIM is a part of LIMENTE collection. The LIMENTE collection provides the best quality of light in technical features, such as efficiency and color rendering, and maximizes the lifespan of the product. PROFIL IR-DIM is a simple and cost-efficient choice to light up your kitchen! The led profile is available in five different standard lengths. The fixture has an IP44 classification, which makes it possible to be installed under a drying cabinet. Due to the excellent light output, the profile fixtures can be placed even 60-80cm apart! You'll receive excellent light on your cooktop, when the fixtures are placed on both sides of the cooker hood.

LIMENTE PROFIL IR-DIM has a perfect color rendering ($R_a > 90$). The fixture has a light output of 1100 lm/m and a color temperature of 4000K. Due to the excellent technical values, our LUX models reproduce natural colors optimally, which really makes colors come alive! The products in our LIMENTE PROFIL IR-DIM collection are all granted with a three-year additional warranty in addition to our two-year warranty granted for all our products.

[Learn more from our website](#)

Dimming and lighting control

LIMENTE PROFIL LUX-IR is not dimmable with separate dimmers. The fixture has an integrated on/off switch and dimmer. The on/off switch is activated with a wave of a hand. For dimming, hold your hand over the sensor to adjust the brightness between 100% and 5%. Please note that the lights will always turn on at full 100% brightness.

[Learn more from our website](#)

Easy installation

LIMENTE PROFIL IR-DIM is fast and easy to install with the installation parts included.

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

- lamp with quick connector
- integrated ON/OFF IR switch
- 3 m power cord
- cable tray
- fasteners x 4

PROFIL 145 IR-DIM AL PROFILE LIGHT

OVERVIEW

PRODUCT CODE	62754
GTIN-CODE	6430022824249
ELECTRICAL NUMBER	4129792
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Alulook
LAMP TYPE	LED

SPECIFICATIONS


PRODUCT DIMENSIONS	9.0 x 17.0 x 145.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	54.000h (L80B10), 102.000h (L70B50)
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1226 lm
EFFICIENCY	102 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	
INPUT POWER	12 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_profil_ir-dim.pdf

PROFIL 145 IR-DIM AL PROFILE LIGHT

RECOMMENDED ACCESSORIES


PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS

PROFIL 145 IR-DIM AL PROFILE LIGHT




PROFIL 145 IR-DIM AL PROFILE LIGHT

Profil IR-DIM




LIMENTE
- HELSINKI -

Profil IR-DIM



LIMENTE
- HELSINKI -

Profil IR-DIM



LIMENTE
- HELSINKI -