

## LED-SLIM

Cornerparts left & right 3000 K | 5,5 W | 1500 lm/m

Product code: 629313



### Extendable profile light

LIMENTE LED-SLIM is a versatile lighting system with which you can build up many combinations. The system is easy to design and execute by following the instructions below.

1. First you need to find your power source and choose between end power feed (1a) or mid power feed (1b).

[Learn more from our website](#)

### Light profile 20 cm + midpowerfeed cable

LIMENTE LED-SLIM light profile+mid power feed has a uniform light going all the way through. It can be connected as a continuous light to either another profile light or a corner piece. The profile has a female connector in one end and a male connector in the other. The profile includes two straight fixing elements, two corner fixing elements (light profile can be installed in the rear edge in a 15 or 45 degree angle) and an end piece.

[Learn more from our website](#)

The system is simple to design and implement by following the instructions below.

[Learn more from our website](#)

### THE FOLLOWING ITEMS ARE INCLUDED

- profil lamp
- driver with quick connector

## SLIM P2 5,5 W 3K AL POWER SUPPLY

## OVERVIEW

PRODUCT CODE	629313
GTIN-CODE	6430022820272
ELECTRICAL NUMBER	4118938
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Alulook
LAMP TYPE	LED

## SPECIFICATIONS

PRODUCT DIMENSIONS	211.0 x 30.0 x 12.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	3000 K
COLOUR RENDERING INDEX CRI	> 80
RATED LIFE TIME	35.000h (L80B10)
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	300 lm
EFFICIENCY	53 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP21
NUMBER OF LEDS/M	
INPUT POWER	5,5 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	Top, hole Ø 8 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-slim.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-slim.pdf</a>

## SLIM P2 5,5 W 3K AL POWER SUPPLY

## RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
LED28030	LED POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LED POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LED POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640420	SMART 420, WIRELESS LIGHT CONTROL
640421	SMART 421, WIRELESS LIGHT CONTROL
640422	SMART 422, WIRELESS LIGHT CONTROL
640424	SMART 422, WIRELESS LIGHT CONTROL
640425	SMART 425, WIRELESS LIGHT CONTROL

## SLIM P2 5,5 W 3K AL POWER SUPPLY

