

NEON DOME

24V | 4000 K | IP67 | 1700 lm/m | CRI>90

Product code: 630003



Versatile water-resistant NEON-strip

Dimming and lighting control

LIMENTE NEON Dome is dimmable either with LIMENTE SMART CLASSIC, LUXUS ja GREENLINE series 24V dimmer (no. 640540) and wireless wall switches (no. 640541, 640542, 640544, 640546 and 640547).

[Learn more from our website](#)

Installation



THE FOLLOWING ITEMS ARE INCLUDED

- NEON ribbon
- in both ends 1 m power cord
- end pieces
- fasteners
- junction box

NEON DOME 5M SILICONE PROFILE

OVERVIEW

PRODUCT CODE	630003
GTIN-CODE	6438400000124
ELECTRICAL NUMBER	4139870
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	White
LAMP TYPE	LED

SPECIFICATIONS

PRODUCT DIMENSIONS	5000.0 x 13.0 x 7.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	36.000h (L80B10), 84.000h (L70B50)
ENERGY EFFICIENCY CLASS	G
LUMINOUS FLUX	1680 lm/m
EFFICIENCY	93 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP67
NUMBER OF LEDS/M	210
INPUT POWER	90W (18 W/m)
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_neon.pdf

NEON DOME 5M SILICONE PROFILE

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
LED30100	LIMENTE POWER SUPPLY, BLACK, 24 V, 0-100 W, IP67
LED30250	LIMENTE POWER SUPPLY, BLACK, 24 V, 0-250 W, IP67

NEON DOME 5M SILICONE PROFILE

