LIMENTE



2700-6000 K



THE FOLLOWING ITEMS ARE INCLUDED

- ribbon, with 1,5m power cord connectors in both ends
- 2 x 1,5m power cord with TOP connector

RIBBON 20 CCT LUX

24 V | 2700-6000K | IP44 | 196 led/m | 1500 lm/m | CRI>90 Product code: 630090

A versatile LED strip with color temperature adjustment

LIMENTE RIBBON IP44 CCT LUX is a part of LIMENTE CCT collection, which is not only dimmable but the color temperature is adjustable. When adjusting the color temperature of lighting in your home, you can change the ambience to suit any mood. RIBBON IP44 CCT LUX is an efficient led strip with LEDs very close to each other (196 LEDs / m). You can use RIBBON either in a kitchen as working light or as indirect light behind mirrors, in plinths, in ceilings, and in any space, where the light source needs to be as invisible as possible. The light is stylish and continuous as well as pleasantly even especially when installed on LIMENTE LIGHT PROFILE.

LIMENTE RIBBON IP44 CCT LUX is available in standard lengths of 2 and 4 meters. The led strip can be shortened to a desired length at 6,6 cm intervals. LIMENTE RIBBON IP44 CCT LUX comes with quality LEDs with a color rendering index of Ra> 90, an efficiency of 105 lm/W, a luminosity of 683 - 1505 lm/m and a color temperature of about 2700-6000K. The fixture includes a matte protective glass diffuser, which makes the light even and continuous and makes the light a bit warmer in color temperature. All technical values are given to the led strip without a diffuser.

Learn more from our website

Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE RIBBON IP44 CCT LUX with our wireless system. You can use the same switch to adjust all the LIMENTE CCT lights in the room. The light and color temperature adjust smoothly at the same time while creating ambience for working, entertaining or any mood in between.

Learn more from our website

Easy installation

LIMENTE

RIBBON 20 CCT LUX STRIP

OVERVIEW

PRODUCT CODE	630090
GTIN-CODE	6438400003316
ELECTRICAL NUMBER	4129793
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	White
LAMP TYPE	LED

SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 10.0 x 3.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	120.000h
ENERGY EFFICIENCY CLASS	G
LUMINOUS FLUX	1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	196
INPUT POWER	29 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	60
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_led-ribbon-cct.pdf



RIBBON 20 CCT LUX STRIP

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
682300	PROFILE LINEA, WITHOUT LED-STRIP, ALUMINUM 2,0 M + 1,0 M
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS



RIBBON 20 CCT LUX STRIP

LIMENTE LED-RIBBON CCT IP44,	10 mm
1500 + 1500 	



RIBBON 20 CCT LUX STRIP

