

## MINI-3

socket | white |

Product code: 630684



### Versatile power sockets

The LIMENTE MINI series sockets are designed in Finland as a versatile power outlets over the kitchen counter, under the upper cabinets. Minimalistic design makes them easy to be used with all types of kitchen work lights. They are also quick and easy to install. The tilted design makes it easy to use the plugs and you can see clearly in which direction the plug should be placed in the socket. Mini series sockets are child proof.

The MINI-3 socket has a slot for three plugs. Mini sockets are also available in versions that have either one or two plug places and these can be combined in the kitchen as needed. In addition to the basic model, the Mini-2 is available with an integrated light switch (LIMENTE LUNA) and two USB plug places (LIMENTE MINI-2c USB).

[Learn more from our website](#)

### Socket color options

The Mini-3 is available in white, stainless steel and black. Stainless steel is brushed and both white and black have a matte finish (matte black and matte white). All color options have a sturdy metal body.

### Installation and electrical connection

Define the place where the power supply is to be imported or use an existing power supply cable. The socket must be installed against an angle of two fixed surfaces so that its background is not left open. The actual mounting is made using the supplied screws. See the installation instructions for more details.

[Learn more from our website](#)



### THE FOLLOWING ITEMS ARE INCLUDED

- socket
- back plate
- mounting screws
- quick connector
- plastic free packaging

## MINI-3 SOCKET WH

## OVERVIEW


PRODUCT CODE	630684
GTIN-CODE	6430022829046
ELECTRICAL NUMBER	2407109
ETIM GENERAL NAME	Socket
ETIM CLASS	Socket outlet EC000125
ETIM GROUP	24 Surface mounting socket-outlets and plugs
COLOUR	White
LAMP TYPE	-

## SPECIFICATIONS

PRODUCT DIMENSIONS	213.0 x 160.0 x 58.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	-
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	-
EFFICIENCY	-
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	-
NUMBER OF SWITCHING CYCLES	-
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	<a href="http://www.limente.fi/Images/productpics/instructions/limente_mini-2_mini-2C-USB_mini-3_luna-2.pdf">http://www.limente.fi/Images/productpics/instructions/limente_mini-2_mini-2C-USB_mini-3_luna-2.pdf</a>

## MINI-3 SOCKET WH

LIMENTE MINI-3



## MINI-3 SOCKET WH

