

MINI-3

white |

Product code: 630684



Versatile power sockets

The LIMENTE MINI series sockets are designed in Finland as a versatile power outlets over the kitchen counter, under the upper cabinets. Minimalistic design makes them easy to be used with all types of kitchen work lights. They are also quick and easy to install. The tilted design makes it easy to use the plugs and you can see clearly in which direction the plug should be placed in the socket. Mini series sockets are child proof.

The MINI-3 socket has a slot for three plugs. Mini sockets are also available in versions that have either one or two plug places and these can be combined in the kitchen as needed. In addition to the basic model, the Mini-2 is available with an integrated light switch (LIMENTE LUNA) and two USB plug places (LIMENTE MINI-2c USB).

[Learn more from our website](#)

Socket color options

The Mini-3 is available in white, stainless steel and black. Stainless steel is brushed and both white and black have a matte finish (matte black and matte white). All color options have a sturdy metal body.

Installation and electrical connection

Define the place where the power supply is to be imported or use an existing power supply cable. The socket must be installed against an angle of two fixed surfaces so that its background is not left open. The actual mounting is made using the supplied screws. See the installation instructions for more details.

[Learn more from our website](#)



THE FOLLOWING ITEMS ARE INCLUDED

- socket
- back plate
- mounting screws
- quick connector
- plastic free packaging

MINI-3 SOCKET WH

OVERVIEW

PRODUCT CODE	630684
GTIN-CODE	6430022829046
ELECTRICAL NUMBER	2407109
ETIM GENERAL NAME	Socket
ETIM CLASS	Socket outlet EC000125
ETIM GROUP	24 Surface mounting socket-outlets and plugs
COLOUR	
LAMP TYPE	

SPECIFICATIONS

PRODUCT DIMENSIONS	213.0 x 160.0 x 58.0
MOUNTING METHOD	Fixed installation, Surface mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	-
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	-20°C ++ 50°C
INPUT POWER CONNECTOR	Fixed installation
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	

MINI-3 SOCKET WH

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
630581	MINI-2, STAINLESS STEEL
630584	MINI-2, WHITE
630589	MINI-2, BLACK
630681	MINI-3, STAINLESS STEEL
630689	MINI-3, BLACK
631584	LUNA-2, WHITE, INCL. SWITCH
632014	ECON-2, WHITE
632034	ECON-3, WHITE
631224	LUXA-31 (3-IN-1), SOCKET, WHITE, INTEGRATED 24 V DRIVER WITH SWITCH

MINI-3 SOCKET WH

