

MINI-2C USB

socket | stainless steel | 27W | USB-A + USB-C

Product code: 631201



Socket with USB plugs

LIMENTE MINI-2C USB is a stylish corner socket designed in Finland. This versatile socket that can be used in the kitchen and the utility room and it has a USB-A and a USB-C charging slot seamlessly integrated between the sockets. The USB-A slot is a traditional USB slot, while the new USB-C slot is becoming more popular and is already available on the latest phones, etc. Both types of usb plugs will be available in a variety of rechargeable devices for a long time to come, and the MINI-2C USB charger provides efficient charging for all your devices. The MINI-2C socket is quick and easy to install and is designed to suit many styles and working lights. Thanks to the tilted design, both the plugs and the USB charging slots are always easily accessible and you can clearly see in which direction the plug should be inserted into the socket.

The USB-A and USB-C sockets make it convenient to charge phones or headsets, and Fast Charge also allows for quick charging of tablets.

[Learn more from our website](#)

Socket color options

MINI-2C USB is available in white, stainless steel and black. Stainless steel is brushed and both white and black have a matte finish (matte black and matte white). All color options have a sturdy metal body.

Installation and Electrical Connection

Define the place where the power supply is to be imported or use an existing power supply cable. The socket must be installed against an angle of two fixed surfaces so that its background is not left open. The actual mounting is made using the supplied screws. See the installation instructions for more details.

[Learn more from our website](#)



THE FOLLOWING ITEMS ARE INCLUDED

- socket
- back plate
- mounting screws
- integrated USB-laturi (USB-A and USB-C)
- quick connector

MINI-2C USB SOCKET SS


OVERVIEW

PRODUCT CODE	631201
GTIN-CODE	6438400002807
ELECTRICAL NUMBER	2407127
ETIM GENERAL NAME	Socket
ETIM CLASS	Socket outlet EC000125
ETIM GROUP	24 Surface mounting socket-outlets and plugs
COLOUR	Stainless steel
LAMP TYPE	-

SPECIFICATIONS

PRODUCT DIMENSIONS	162.0 x 160.0 x 58.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	-
COLOUR RENDERING INDEX CRI	-
RATED LIFE TIME	-
ENERGY EFFICIENCY CLASS	-
LUMINOUS FLUX	-
EFFICIENCY	-
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	-
INPUT POWER	-
NUMBER OF SWITCHING CYCLES	-
AMBIENT TEMPERATURE RANGE	-20°C~45°C
INPUT POWER CONNECTOR	-
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	http://www.limente.fi/Images/productpics/instructions/limente_mini-2_mini-2C-USB_mini-3_luna-2.pdf

MINI-2C USB SOCKET SS



MINI-2C USB SOCKET SS

