

MONO-1 USB

USB (A+C) | black

Product code: 631729



A low, recessed power socket

LIMENTE MONO-1 and MONO-1 USB are extremely low power sockets designed to be installed in table tops, shelves and other furniture. Due to its small and low design LIMENTE MONO-1 and MONO-1 USB can also be used in separate, loose furniture, such as tables, couches or book shelves.

The power socket includes dustcover to cover the sockets, which makes the table top even when the power socket is not in use. MONO-1 and MONO-1 USB have a classification of IP54 and can be used in humid conditions.

[Learn more from our website](#)

Color options

LIMENTE MONO-1 and MONO-1 USB are made of metal and available in several different colors: stainless steel, black, white, bronze, gold, tin and champagne.

Installation

LIMENTE MONO-1 and MONO-1 USB are quick and easy to install.

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

- socket with 2m supply cable
- grounded plug

MONO-1 USB SOCKET BLACK

OVERVIEW


| | |
|-------------------|------------------------|
| PRODUCT CODE | 631729 |
| GTIN-CODE | 8028067078451 |
| ELECTRICAL NUMBER | 2529558 |
| ETIM GENERAL NAME | Socket |
| ETIM CLASS | Socket outlet EC000125 |
| ETIM GROUP | 25 Flush sockets |
| COLOUR | |
| LAMP TYPE | |

SPECIFICATIONS

| | |
|-----------------------------------|---|
| PRODUCT DIMENSIONS | 122.0 x 66.0 x 42.0 |
| MOUNTING METHOD | Flush mounting |
| COLOUR TEMPERATURE | |
| COLOUR RENDERING INDEX CRI | |
| RATED LIFE TIME | |
| ENERGY EFFICIENCY CLASS | |
| LUMINOUS FLUX | |
| EFFICIENCY | |
| VOLTAGE | 240 V |
| INGRESS PROTECTION CODE | IP54 |
| NUMBER OF LEDS/M | |
| INPUT POWER | |
| NUMBER OF SWITCHING CYCLES | |
| AMBIENT TEMPERATURE RANGE | 5°C~40°C |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | |
| INSTALLATION AND OPERATING MANUAL | http://www.limente.fi/Images/productpics/instructions/Limente_Mono1.pdf |

MONO-1 USB SOCKET BLACK

LIMENTE MONO-1 USB



LIMENTE MONO-1

