LIMENTE



SPOT

socket + USB (A+C) | black Product code: 63279

Recessed or freely standing socket

SPOT is an excellent socket designed for office use. SPOT is available in two models: recessed and freely standing socket. The socket includes a Schuko socket and two USB connections (USB-A and USB-C). High-quality surface material provides a pleasant user experience.

The recessed SPOT socket is designed to be embedded in a desk or work surface.

Learn more from our website

Color options

The recessed model is available in black and white. The freely standing model is available in shades of black, white, as well as striking new colors: blue, pink, yellow, green, and gray.

Installation

The SPOT socket is simple and quick to install. A circular hole is made in the tabletop, into which the socket is inserted and secured with two screws. The freely standing model is secured to the edge of the table with the included mounting plate. Electrical connection is made using the supplied power cord and plug. The power consumption of the USB ports on SPOT sockets in standby mode is <0.1W.

THE FOLLOWING ITEMS ARE INCLUDED

- socket with 2m supply cable
- grounded plug



SPOT SURFACE MUSTA

OVERVIEW

| PRODUCT CODE | 63279 |
|-------------------|---------------|
| GTIN-CODE | 8028067081581 |
| ELECTRICAL NUMBER | 2407159 |
| ETIM GENERAL NAME | |
| ETIM CLASS | |
| ETIM GROUP | |
| COLOUR | |
| LAMP TYPE | |

SPECIFICATIONS

| PRODUCT DIMENSIONS | 91.0 x 91.0 x 46.0 |
|-----------------------------------|---|
| MOUNTING METHOD | Surface mounting |
| COLOUR TEMPERATURE | |
| COLOUR RENDERING INDEX CRI | |
| RATED LIFE TIME | |
| ENERGY EFFICIENCY CLASS | |
| LUMINOUS FLUX | |
| EFFICIENCY | |
| VOLTAGE | 240 V |
| INGRESS PROTECTION CODE | IP20 |
| NUMBER OF LEDS/M | |
| INPUT POWER | |
| NUMBER OF SWITCHING CYCLES | |
| AMBIENT TEMPERATURE RANGE | +20°C to +35°C |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | |
| INSTALLATION AND OPERATING MANUAL | https://www.limente.fi/Images/productpics/instructions/Limente_SPOT_PINTA.pdf |

Date: 30.08.2024 | Page 2 (3)

LIMENTE

SPOT SURFACE MUSTA

