



## LIFT

socket | s/s

Product code: 63331

### A recessed power socket

LIFT is a stylish tower socket that is suitable for use in many different places, such as kitchens, offices, and workstations. Thanks to its compact size and minimalist design, it is very user-friendly and fits into all kinds of environments, both modern and classic.

The LIFT tower socket opens and closes with a soft and quiet motion, enhancing user comfort. Its refined appearance exudes quality and durability. Thanks to its protective cover, the socket is splash-proof (IP 54) when closed.

[Learn more from our website](#)

### Color options

The socket cover is available in the same color tones as the Desk-2 and Mono recess mounted sockets: stainless steel, brushed black, brushed gold, copper, tin, black glass, and white glass. For models with a wireless charger, the cover is either white or black.

### Installation

The LIFT tower socket is quick and easy to install.

[Learn more from our website](#)

#### THE FOLLOWING ITEMS ARE INCLUDED

- socket with 2m supply cable
- grounded plug
- 2 x Schuko

## LIFT ROUND, S/S

## OVERVIEW

PRODUCT CODE	63331
GTIN-CODE	8028067155800
ELECTRICAL NUMBER	2509325
ETIM GENERAL NAME	Socket
ETIM CLASS	Socket outlet EC000125
ETIM GROUP	25 Flush sockets
COLOUR	
LAMP TYPE	

## SPECIFICATIONS

PRODUCT DIMENSIONS	305.0 x 80.0 x 150.0
MOUNTING METHOD	Flush mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP54
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	-20°C~35°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/Limente_Lift.pdf">https://www.limente.fi/Images/productpics/instructions/Limente_Lift.pdf</a>

## LIFT ROUND, S/S

### RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
680826	LIFT, CARTER KIT

## LIFT ROUND, S/S

