

SMART 430

wireless light control |

Product code: 640430



Wireless light control

LIMENTE SMART 400 series is a simple and elegant solution for lighting control for example in the kitchen. The system does not require any additional electrical work. It suffices to have a socket for the lights. Often the socket is placed, for example above the upper kitchen cabinet, in which case the dimmer is also placed there.

The lights are controlled with modern controls, which have ON/OFF function and dimmer. ON/OFF works with a short press and long press dims/brightens the light. With the CCT model you can also adjust the lamps color temperature (requires a CCT light).

[Learn more from our website](#)

LIMENTE SMART 430

Wireless 24 V CCT dimmer, which is installed between a power supply and a light. The dimmer has a corresponding connector as in the power supply and corresponding connectors as in the 24 CCT lights. The manifold can install a maximum of 6 lamps. One dimmer is needed for every light group (power supply).

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

- CCT receiver with quick connector
- manifold

SMART 430 CCT DIMMER PART

OVERVIEW

PRODUCT CODE	640430
GTIN-CODE	6438400005921
ELECTRICAL NUMBER	4009730
ETIM GENERAL NAME	Control device
ETIM CLASS	Accessories/spare parts for LED drivers and modules EC002955
ETIM GROUP	40 Lighting components
COLOUR	White
LAMP TYPE	-

SPECIFICATIONS

PRODUCT DIMENSIONS	178.0 x 46.0 x 22.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	-
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	-
EFFICIENCY	-
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	-
NUMBER OF SWITCHING CYCLES	-
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	Top, hole Ø 8 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_smart400.pdf

SMART 430 CCT DIMMER PART

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
640434	SMART 434, WIRELESS LIGHT CONTROL
630090	LED-RIBBON 20 CCT LUX, 24 V, 2700-6000K, IP44, 1500 LM/M, CRI>90
630091	LED-RIBBON 40 CCT LUX, 24 V, 2700 - 6000 K, IP44, 1500 LM/M, CRI>90
LED28100	LED POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
LED28060	LED POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS

SMART 430 CCT DIMMER PART

