

LOTUS-180

nickel | (E27 | max 40W)

Product code: 65075

Lotus- pendant light – soft and timeless elegance

Lotus- pendant light enchants with its soft, spherical design, which brings harmonious balance and a stylish look to the space. Its clear and timeless design makes it the perfect choice both individually and in striking groups.

Available in a variety of trendy or classic shades, Lotus adapts to a wide range of interior styles and brings just the right atmosphere to your space. The lamp's pure white inner surface pleasantly reflects light around it. The textile-covered cord blends harmoniously with the shade of the ceiling canopy, completing a polished and stylish look.

[Learn more from our website](#)

Bulb, dimming and lighting control

If you wish to adjust the lighting, you must ensure that the separately purchased bulb and the dimmer used are compatible with each other. The pendant lamp does not impose any restrictions on lighting adjustment.

Installation

Installation is quick and easy. The package includes the lamp, a lamp plug, a ceiling canopy with an integrated power supply. The cord can be shortened to the desired length during installation or neatly gathered inside the canopy. The lamp is hung by attaching the hanging ring to the hook on the base, after which the plug is connected to the socket on the lamp cover and the ceiling canopy is attached in place.

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

- lamp shade
- 3m textile cable
- plug
- canopy

LOTUS-180 NICKEL PENDANT LIGHT

OVERVIEW

PRODUCT CODE	65075
GTIN-CODE	6430022825284
ELECTRICAL NUMBER	4139825
ETIM GENERAL NAME	Ceiling light
ETIM CLASS	Ceiling/wall luminaire EC002892
ETIM GROUP	41 Domestic light fittings
COLOUR	Nikkeli
LAMP TYPE	E27 LED max 40W

SPECIFICATIONS

PRODUCT DIMENSIONS	180.0 x 180.0 x 150.0
MOUNTING METHOD	Suspended / ceiling mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	depends on the bulb
EFFICIENCY	depends on the bulb
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	max. 40 W
NUMBER OF SWITCHING CYCLES	-
AMBIENT TEMPERATURE RANGE	-
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_lotus.pdf

LOTUS-180 NICKEL PENDANT LIGHT

