

FLAT 22

white | 7,6 W | 526 lm

Product code: 65222-1



An extremely low furniture light fixture

LIMENTE FLAT 22 is the lowest light fixture on the market. The body of the fixture is extremely thin (only 5,5mm) creating a stylish and complete look without any heavy machining to the surface of installation. Under a cabinet or a shelf, LIMENTE FLAT appears recessed. FLAT provides a wide-spread and even light on the illuminated surface, so no unpleasant shadows or dark sections are generated.

LIMENTE FLAT is available in two different designs. The smaller LIMENTE FLAT 12 is square in shape. The bigger, and hence more efficient, FLAT 22 is rectangle in shape. LIMENTE FLAT fixtures suit well both residential and commercial spaces and any other space, where modern and even lighting is desired. Both fixtures have great luminosity and are excellent both as working and mood lights!

Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cosy by dimming your LIMENTE FLAT 22 with our wireless system. You can use the same switch to adjust all the LIMENTE lights in the room, including various ceiling, panel and profile lights. The light adjusts smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

Easy installation

LIMENTE FLAT 22 is quick and easy to install. Attach the fixture by its corners in place with the screws included in delivery.

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

- spotlight with 3m power cord and TOP connector
- fasteners

FLAT 22 WH SPOTLIGHT

OVERVIEW

PRODUCT CODE	65222-1
GTIN-CODE	6430022820760
ELECTRICAL NUMBER	4118919
ETIM GENERAL NAME	Furniture luminaire
ETIM CLASS	Downlight/spot/floodlight EC001744
ETIM GROUP	41 Domestic light fittings
COLOUR	White
LAMP TYPE	LED

SPECIFICATIONS

PRODUCT DIMENSIONS	200.0 x 100.0 x 5.5
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	526 lm
EFFICIENCY	69 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	7,6 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	Top, hole Ø 8 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	-
INSTALLATION AND OPERATING MANUAL	http://www.lapetek.fi//tuotekuvat/ao/limente_led-flat-12-22.pdf

FLAT 22 WH SPOTLIGHT

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
640532	SMART 532, CLASSIC LIGHTCONTROL KIT, 24 V, WHITE
640551	SMART 551, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640552	SMART 552, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640554	SMART 554, LUXUS LIGHTCONTROL KIT, 24 V, BLACK
640556	SMART 556, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE
640557	SMART 557, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE