

TAG-SLIDE

socket with lid + USB (C) | black

Product code: 675119



Inconspicuous socket embedded in the tabletop

TAG is an affordable, inconspicuous and stylish socket designed for kitchen and office use. The socket includes a Schuko socket and a USB connection (USB-A or USB-C). The socket can be installed either in a 60 mm diameter hole or, with the supplied extension ring in a hole with a diameter of 80 mm.

[Learn more from our website](#)

Color options

Available in black and white.

Installation

The TAG socket is simple and quick to install. A circular hole (60mm or 80mm) is made in the tabletop, into which the socket is inserted. If the socket is installed in an 80mm hole, first screw the extension ring from the bottom onto the cylindrical shaft of the socket, locking it into place. Electrical connection is made using the supplied power cord and plug. The power consumption of the USB ports on TAG sockets in standby mode is <math><0.1\text{W}</math>.

THE FOLLOWING ITEMS ARE INCLUDED

- socket with 2m supply cable
- grounded plug

TAG BLACK WITH LID

OVERVIEW

| | |
|-------------------|---------------|
| PRODUCT CODE | 675119 |
| GTIN-CODE | 6430022824607 |
| ELECTRICAL NUMBER | 2509336 |
| ETIM GENERAL NAME | |
| ETIM CLASS | |
| ETIM GROUP | |
| COLOUR | |
| LAMP TYPE | |

SPECIFICATIONS

| | |
|-----------------------------------|---|
| PRODUCT DIMENSIONS | 90.0 x 90.0 x 124.0 |
| MOUNTING METHOD | Flush mounting |
| COLOUR TEMPERATURE | |
| COLOUR RENDERING INDEX CRI | |
| RATED LIFE TIME | |
| ENERGY EFFICIENCY CLASS | |
| LUMINOUS FLUX | |
| EFFICIENCY | |
| VOLTAGE | 240 V |
| INGRESS PROTECTION CODE | IP20 |
| NUMBER OF LEDS/M | |
| INPUT POWER | |
| NUMBER OF SWITCHING CYCLES | |
| AMBIENT TEMPERATURE RANGE | +20°C - +35°C |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | |
| INSTALLATION AND OPERATING MANUAL | https://www.limente.fi/Images/productpics/instructions/Limente_TAG.pdf |

TAG BLACK WITH LID

