



## PAD

socket + USB (A+C) | white

Product code: 67604

### Low-profile multifunctional socket outlet embedded in the tabletop

PAD is a low-profile embedded multifunctional socket designed for installation in tabletops, shelves, furniture, etc. Due to its low profile and plug-in power supply, they can also be used in freestanding furniture such as tables, sofas, and bookshelves.

Each model includes a Schuko socket and a USB connection (USB-A). In addition to these, depending on the model, the socket also features a USB-C, RJ45, or HDMI connection. When closed, the surface of the PAD socket is flat, giving it a stylish and seamless appearance.

### Color options

Available in black and white and S/S-look.

### Installation

The PAD socket is simple and quick to install. An 80 mm hole is made in the tabletop, into which the socket is inserted and secured with two screws from above. After this, two covers are slid into place. Electrical connection is made using the supplied power cord and plug. The power consumption of the USB ports on PAD sockets in standby mode is <math><0.1\text{W}</math>.

### THE FOLLOWING ITEMS ARE INCLUDED

## PAD WHITE USB A/C

## OVERVIEW

|                   |               |
|-------------------|---------------|
| PRODUCT CODE      | 67604         |
| GTIN-CODE         | 8028067058415 |
| ELECTRICAL NUMBER | 2509194       |
| ETIM GENERAL NAME |               |
| ETIM CLASS        |               |
| ETIM GROUP        |               |
| COLOUR            |               |
| LAMP TYPE         |               |

## SPECIFICATIONS

|                                   |   |
|-----------------------------------|---|
| PRODUCT DIMENSIONS                | 90.0 x 124.0 x 145.0  |
| MOUNTING METHOD                   | Flush mounting  |
| COLOUR TEMPERATURE                |   |
| COLOUR RENDERING INDEX CRI        |   |
| RATED LIFE TIME                   |   |
| ENERGY EFFICIENCY CLASS           |   |
| LUMINOUS FLUX                     |   |
| EFFICIENCY                        |   |
| VOLTAGE                           | 240 V   |
| INGRESS PROTECTION CODE           | IP20  |
| NUMBER OF LEDS/M                  |   |
| INPUT POWER                       |   |
| NUMBER OF SWITCHING CYCLES        |   |
| AMBIENT TEMPERATURE RANGE         | +20°C to +35°C  |
| INPUT POWER CONNECTOR             |   |
| WARRANTY PERIOD (MONTHS)          | 24  |
| ADDITIONAL COVER (MONTHS)         |   |
| INSTALLATION AND OPERATING MANUAL | <a href="https://www.limente.fi/Images/productpics/instructions/Limente_PAD.pdf">https://www.limente.fi/Images/productpics/instructions/Limente_PAD.pdf</a> |

## PAD WHITE USB A/C

