

PROFILE LINEA

without led-strip | aluminum 4,0 m + 1,0 m

Product code: 682302



Aluminum profile for LED strips

A two-meter light profile is intended for installing the LIMENTE RIBBON LED-strip. The LED-strip is installed in a 2-meter profile and the shorter (supplied) 1m lighting list can be used as a chord channel for the power supply cable. The list can be shortened to the desired length.

Dimming and lighting control

Combine any LIMENTE RIBBON led strip with either LIMENTE SMART CLASSIC, LUXUS and GREENLINE series wireless dimming and lighting control system. With our SMART systems, you can easily change the lighting and ambience in your home from efficient and bright to dim and cozy with just a push of a button.

[Learn more from our website](#)

Installation

LIMENTE profiles are cut to a desired length using a hacksaw or a circular saw and secured in place with the supplied installation tools and attachment brackets. Use the additional profile and corner pieces to hide all wiring to make your lighting design complete!

THE FOLLOWING ITEMS ARE INCLUDED

- 2 x 2m aluminum profiles + diffusert
- 1m aluminum profile + diffusert (conduit)
- mounting clips x 11
- end-caps x 6
- plastic corner pieces (90°) x 3

PROFILE LINEA 2+2M ALUMINUM

OVERVIEW

PRODUCT CODE	682302
GTIN-CODE	6430022829626
ELECTRICAL NUMBER	4118851
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	
LAMP TYPE	

SPECIFICATIONS

PRODUCT DIMENSIONS	4000.0 x 17.0 x 8.0
MOUNTING METHOD	
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	
INGRESS PROTECTION CODE	
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_led-linea.pdf

PROFILE LINEA 2+2M ALUMINUM

