


## CORNER 20 CCT LUX

2m | 2700 - 6000 K | aluminum | IP44 | 1500 lm/m | CRI>90  
Product code: 682324



### THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profile 2 m
- end pieces x 4
- fasteners x 4
- led-ribbon 2 m, with 1,5m power cord cord in both ends
- 1,5 m power cords 2 pcs

### A versatile corner profile fixture with color temperature adjustment

LIMENTE CORNER IP44 CCT is a part of LIMENTE CCT collection, which is not only dimmable but the color temperature of the light is also adjustable. When adjusting the color temperature of lighting in your home, you can change the ambience to suit any mood. LIMENTE CORNER IP44 CCT is a versatile light fixture suitable for either working light or mood light. The fixture can be used in any space, where the fixture can be placed in a corner. The light is stylish and continuous with no connection points interrupting the light, which provides even light throughout the area.

See "Installation pictures" for tips on how to use CORNER IP44 CCT in a kitchen workspace but also to provide indirect lighting when placed above upper cabinets, in plinths, in ceilings or inside a wardrobe! LIMENTE CORNER profiles are available in three amazing colors (aluminium, black, white), in multiple lengths (2-6m) and three different color temperatures (3000K, 4000K and 2700K-6000K). The profile itself has a standard length of 2m and can be shortened to a desired length.

[Learn more from our website](#)

### Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE CORNER CCT with our wireless system. You can use the same switch to adjust all the LIMENTE CCT lights in the room. The light and color temperature adjust smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

### Easy installation

LIMENTE CORNER IP44 CCT is fast and easy to install with the installation tools included.

[Learn more from our website](#)

## CORNER 20 CCT 29W 2,7-6K

## OVERVIEW

PRODUCT CODE	682324
GTIN-CODE	6430022820135
ELECTRICAL NUMBER	4118914
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Indoor luminaires
COLOUR	Alulook
LAMP TYPE	Kiinteä led

## SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 10.0 x 3.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	120.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	196
INPUT POWER	29 W
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	-20°C +- 50°C
INPUT POWER CONNECTOR	CCT, hole diameter 12 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	

## CORNER 20 CCT 29W 2,7-6K

## RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
640561	SMART 561, LUXUS CCT-CONTROL, 24 V, WHITE
640562	SMART 562, GREENLINE CCT-CONTROL, 24 V
640563	SMART 563, LUXUS CCT-CONTROL, 240 V, WHITE
630581	MINI-2, STAINLESS STEEL
630681	MINI-3, STAINLESS STEEL
640572	SMART-SET 572, GREENLINE LIGHTCONTROL SET, 24 V, BLACK
640571	SMART-SET 571, LUXUS LIGHTCONTROL SET, 24 V, WHITE
632014	ECON-2, WHITE
632019	ECON-2, BLACK
632011	ECON-2, ALULOOK
632039	ECON-3, BLACK
632034	ECON-3, WHITE
632031	ECON-3, ALULOOK
630581	MINI-2, STAINLESS STEEL
630581	MINI-2, STAINLESS STEEL
630584	MINI-2, WHITE
630589	MINI-2, BLACK
630681	MINI-3, STAINLESS STEEL
630681	MINI-3, STAINLESS STEEL
630684	MINI-3, WHITE
630689	MINI-3, BLACK

## CORNER 20 CCT 29W 2,7-6K

