LIMENTE



3000 K

RIBBON 40 8

24 V | 3000 K | IP20 | 140 led/m | 1300 lm/m | CRI>80 Product code: 682359

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE RIBBON IP20 with our wireless system. You can use the same switch to adjust all the LIMENTE lights in the room, including various ceiling, panel and profile lights. The light adjusts smoothly at the same time while creating ambience for working, entertaining or any mood in between.

Learn more from our website

LIMENTE RIBBON IP20 8 is fast and easy to install. Learn more from our website

THE FOLLOWING ITEMS ARE INCLUDED

- 4m ribbon, with in both ends driver
- 2 x 3m power cord with TOP connector



RIBBON 40 8 3K IP20 STRIP

OVERVIEW

| PRODUCT CODE | 682359 |
|-------------------|------------------------------------|
| GTIN-CODE | 6438400002036 |
| ELECTRICAL NUMBER | 4129731 |
| ETIM GENERAL NAME | Light ribbon-/hose/-strip |
| ETIM CLASS | Light ribbon-/hose/-strip EC002706 |
| ETIM GROUP | 41 Indoor luminares |
| COLOUR | White |
| LAMP TYPE | LED |

SPECIFICATIONS

| PRODUCT DIMENSIONS | 4000.0 x 8.0 x 1.3 |
|-----------------------------------|---|
| MOUNTING METHOD | Surface mounting |
| COLOUR TEMPERATURE | 3000 K |
| COLOUR RENDERING INDEX CRI | > 80 |
| RATED LIFE TIME | 102.000h |
| ENERGY EFFICIENCY CLASS | E |
| LUMINOUS FLUX | 1300 lm/m |
| EFFICIENCY | 130 lm/W |
| VOLTAGE | 24 V DC |
| INGRESS PROTECTION CODE | IP20 |
| NUMBER OF LEDS/M | 140 |
| INPUT POWER | 40 W |
| NUMBER OF SWITCHING CYCLES | > 50 000 |
| AMBIENT TEMPERATURE RANGE | -20°C -+50°C |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | 12 |
| INSTALLATION AND OPERATING MANUAL | https://www.limente.fi/Images/productpics/instructions/limente_ribbon-pro.pdf |

Date: 04.07.2025 | Page 2 (4)



RIBBON 40 8 3K IP20 STRIP

RECOMMENDED ACCESSORIES

| PRODUCT CODE | PRODUCT |
|--------------|--|
| LED28030 | LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS |
| LED28060 | LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS |
| LED28100 | LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS |
| 640552 | SMART 552, LUXUS LIGHTCONTROL KIT, 24 V, WHITE |
| 640554 | SMART 554, LUXUS LIGHTCONTROL KIT, 24 V, BLACK |
| 640556 | SMART 556, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE |
| 640557 | SMART 557, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE |
| 640551 | SMART 551, LUXUS LIGHTCONTROL KIT, 24 V, WHITE |
| 640425 | SMART 425, WIRELESS LIGHT CONTROL |

Date: 04.07.2025 | Page 3 (4)

LIMENTE

RIBBON 40 8 3K IP20 STRIP



