


CORNER 20 CCT LUX

2,15m | 2700 - 6000 K | black | IP44 | 1500 lm/m | CRI>90
Product code: 682375



THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profile 2,15 m
- end pieces x 4
- fasteners x 4
- led-ribbon 2 m
- 1,5m power cord in both ends
- 1,5 m power cords 2 pcs

A versatile corner profile fixture with color temperature adjustment

LIMENTE CORNER IP44 CCT is a part of LIMENTE CCT collection, which is not only dimmable but the color temperature of the light is also adjustable. When adjusting the color temperature of lighting in your home, you can change the ambience to suit any mood. LIMENTE CORNER IP44 CCT is a versatile light fixture suitable for either working light or mood light. The fixture can be used in any space, where the fixture can be placed in a corner. The light is stylish and continuous with no connection points interrupting the light, which provides even light throughout the area.

See "Installation pictures" for tips on how to use CORNER IP44 CCT in a kitchen workspace but also to provide indirect lighting when placed above upper cabinets, in plinths, in ceilings or inside a wardrobe! LIMENTE CORNER profiles are available in three amazing colors (aluminium, black, white), in multiple lengths (2-6m) and three different color temperatures (3000K, 4000K and 2700K-6000K). The aluminium profile itself has a standard length of 2m, black and white 2,15 m and can be shortened to a desired length.

[Learn more from our website](#)

Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE CORNER CCT with our wireless system. You can use the same switch to adjust all the LIMENTE CCT lights in the room. The light and color temperature adjust smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

Easy installation

LIMENTE CORNER IP44 CCT is fast and easy to install with the installation tools included.

[Learn more from our website](#)

COR. 20 CCT LUX BL PROF.LIGHT

OVERVIEW

PRODUCT CODE	682375
GTIN-CODE	6438400002197
ELECTRICAL NUMBER	4129747
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Black
LAMP TYPE	LED

SPECIFICATIONS


PRODUCT DIMENSIONS	2150.0 x 19.0 x 19.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	120.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	180
INPUT POWER	29 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	CCT, hole diameter 12 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_led-corner.pdf

COR. 20 CCT LUX BL PROF.LIGHT

RECOMMENDED ACCESSORIES


PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640561	SMART 561, LUXUS CCT-CONTROL, 24 V, WHITE
640562	SMART 562, GREENLINE CCT-CONTROL, 24 V, WHITE
640563	SMART 563, LUXUS CCT-CONTROL, 24 V, BLACK
640560	SMART 560, CCT RECEIVER, CCT 24 V

COR. 20 CCT LUX BL PROF.LIGHT




COR. 20 CCT LUX BL PROF.LIGHT

Corner




LIMENTE
HELINKI

Smart Greenline CCT + Corner CCT



LIMENTE
HELINKI

Corner + Smart 512



LIMENTE
HELINKI