

## LILO DOB 20

2m | 4000 K | aluminum | 288 led/m | 1300 lm/m | CRI>90

Product code: 682437



**A versatile recessed profile fixture with completely dot-free LED strip**

LIMENTE LILA DOB is a profile fixture for indirect lighting, which is especially pleasant when planning on illuminating via another surface. The fixture can be used e.g. in closets, when wanting to direct light toward the back wall of the closet. LILA is a recessed profile fixture, which is submerged into a surface. The profile is very small in size and, unlike other LIMENTE-profiles, LILA and LED-LILO use an 8mm led strip. LILA DOB is a versatile fixture for working light and mood light. The fixture can be shortened to a desired length. The light is stylish and continuous with no connection points interrupting the light, which provides even light throughout the area. The new DOB technology provides a completely dot-free light, which can be used in a profile even without a diffuser if desired.

See "Installation pictures" for tips on how to use LILA in a kitchen workspace but also to provide indirect lighting when placed above upper cabinets or inside a wardrobe! LIMENTE LILA DOB is available in two different color temperatures (3000K and 4000K). The profile itself has a standard length of 2m and can be shortened to a desired length.

[Learn more from our website](#)

### Dimming and lighting control

A stepless dimmer makes it easy to create atmosphere and a new look for a space. By dimming LIMENTE lights, you can change your home's lighting from bright and efficient to dim and cozy. If you wish, you can use the same dimmer to control all LIMENTE lights in the room, including various ceiling, panel, and under-cabinet lights. The lights dim smoothly and pleasantly, changing the feel of the entire space.

[Learn more from our website](#)

### Installation

LIMENTE LILA DOB is fast and easy to install with the installation tools included.

[Learn more from our website](#)

#### THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profile 2 m
- end pieces x 4
- fasteners x 4
- led-ribbon 2 m, with driver in both ends
- 3m power cords 2 pcs

# LILLO DOB 20 4K AL PROFILE LIGHT

## OVERVIEW

PRODUCT CODE	682437
GTIN-CODE	6430022825918
ELECTRICAL NUMBER	4158084
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Indoor luminaires
COLOUR	Alulook
LAMP TYPE	LED

## SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 22.0 x 12.5
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	102.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1300 lm/m
EFFICIENCY	
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDs/M	
INPUT POWER	18 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	36
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_lilodob.pdf">https://www.limente.fi/Images/productpics/instructions/limente_lilodob.pdf</a>

## LILLO DOB 20 4K AL PROFILE LIGHT

### RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640551	SMART 551, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640552	SMART 552, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640554	SMART 554, LUXUS LIGHTCONTROL KIT, 24 V, BLACK
640556	SMART 556, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE
640557	SMART 557, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE

## LILLO DOB 20 4K AL PROFILE LIGHT

