

## LUXOR CCT LUX

2700 - 6000 K | IP44 | black | 1500 lm/m | CRI>90  
Product code: 68850


**Light directing corner profile with color temperature adjustment**

### Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cosy by dimming your LIMENTE LINEA IP44 CCT with our wireless system. You can use the same switch to adjust all the LIMENTE CCT lights in the room. The light and color temperature adjust smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

### Easy installation



### THE FOLLOWING ITEMS ARE INCLUDED

- black aluminum profile 2 m x 2
- end pieces x 8
- fasteners x 12
- led-ribbon 4 m, with 1,5 m power cord cord in both ends
- 1,5 m power cords 2 pcs

## LUXOR 40 CCT LUX BL PROF.LIGHT

## OVERVIEW

PRODUCT CODE	68850
GTIN-CODE	6438400004009
ELECTRICAL NUMBER	4139856
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Black
LAMP TYPE	LED

## SPECIFICATIONS


PRODUCT DIMENSIONS	2000.0 x 23.0 x 17.4
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	196
INPUT POWER	58 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-luxor.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-luxor.pdf</a>

## LUXOR 40 CCT LUX BL PROF.LIGHT

## RECOMMENDED ACCESSORIES


PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640560	SMART 560, CCT RECEIVER, CCT 24 V
640561	SMART 561, LUXUS CCT-CONTROL, 24 V, WHITE
640562	SMART 562, GREENLINE CCT-CONTROL, 24 V, WHITE
640563	SMART 563, LUXUS CCT-CONTROL, 24 V, BLACK

## LUXOR 40 CCT LUX BL PROF.LIGHT




## LUXOR 40 CCT LUX BL PROF.LIGHT

Luxor + Smart 512




LIMENTE  
HELSINKI

Luxor



LIMENTE  
HELSINKI

LUXOR CCT LUX + Smart 512



LIMENTE  
HELSINKI