

## LUXOR DOB

4000 K | IP44 | white | 288 led/m | 1300 lm/m | CRI>90  
Product code: 68861



### A light directing corner profile fixture with completely dot-free strip

LIMENTE LUXOR IP44 DOB is part of the LIMENTE DOB collection, designed to offer maximum lifespan and top technical features, such as excellent color rendering. This versatile, trimmable task and mood light is suitable for all spaces where a light profile can be installed in a corner. The fixture features a wider beam angle, making it ideal for locations where light needs to be distributed generously throughout the surroundings. The seamless profile creates a polished look, and the light is elegantly continuous without any distracting joints.

LIMENTE LUXOR IP44 DOB is available in standard lengths of 2 and 4 meters. The LED strip can be cut to the desired length at approximately 3 cm intervals, allowing for various customized solutions. Only the best components are used as standard in the DOB model, ensuring excellent efficiency (up to 144 lm/W) and near-perfect color rendering (CRI >90, ensuring the colors of the illuminated object appear as natural as possible). It features a light output of 1300 lm/m and a color temperature of either 3000K or 4000K. The light from the fixture is completely dot-free, making it ideal for the low-profile Luxor housing where the strip is positioned close to the diffuser. All lighting values are provided for the LED strip without the cover.

[Learn more from our website](#)

### Dimming and lightcontrol

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE LUXOR with our wireless system. You can use the same switch to adjust all the LIMENTE lights in the room, including various ceiling, panel and profile lights. The light adjusts smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

### Installation

The installation of the LIMENTE LUXOR IP44 DOB is quick and easy using the included installation accessories.

[Learn more from our website](#)

#### THE FOLLOWING ITEMS ARE INCLUDED

- black aluminum profile 2 m x 2
- end pieces x 8
- fasteners x 12
- led-ribbon 4 m, with driver in both ends
- 3m power cords 2 pcs

## LUXOR 40 DOB 36W 4000K WH

## OVERVIEW

PRODUCT CODE	68861
GTIN-CODE	6430022828452
ELECTRICAL NUMBER	4163924
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Indoor luminaires
COLOUR	White
LAMP TYPE	LED

## SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 23.0 x 17.4
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	102.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1300 lm/m
EFFICIENCY	144 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	
INPUT POWER	36 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C -+50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	36
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_luxordob.pdf">https://www.limente.fi/Images/productpics/instructions/limente_luxordob.pdf</a>

## LUXOR 40 DOB 36W 4000K WH

## RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640551	SMART 551, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640552	SMART 552, LUXUS LIGHTCONTROL KIT, 24 V, WHITE
640554	SMART 554, LUXUS LIGHTCONTROL KIT, 24 V, BLACK
640556	SMART 556, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE
640557	SMART 557, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE
640425	SMART 425, WIRELESS LIGHT CONTROL

## LUXOR 40 DOB 36W 4000K WH

