

PROFILE DUO

without led-strip | black 2,0 m

Product code: 68903



Black profile for LED strips

LIMENTE PROFILE DUO is designed for installing LIMENTE RIBBON led strip. LIMENTE PROFILE DUO is designed to be used as indirect lighting in different kinds of spaces. The profile projects light up and down, which enables carrying out beautiful and stylish indirect lighting designs in residential and commercial spaces or offices as an eye-catcher, a mood light or a functional light for reading or above a couch. You can control both the upward projecting light and the downward projecting light separately when needed.

The profile has a standard length of 2 meters and can be shortened to a desired length using a hacksaw or a circular saw. When the profile is cut to a proper length, simply install the led strip inside. The profile is available in black and white. Installation tools and attachment brackets as well as end pieces are included.

[Learn more from our website](#)

Dimming and lighting control

Combine any LIMENTE RIBBON led strip with either LIMENTE SMART CLASSIC, LUXUS ja GREENLINE series wireless dimming and lighting control system. With our SMART systems, you can easily change the lighting and ambience in your home from efficient and bright to dim and cozy with just a push of a button.

[Learn more from our website](#)

Installation

LIMENTE profiles are cut to a desired length using a hacksaw or a circular saw and secured in place with the supplied installation tools and attachment brackets.

THE FOLLOWING ITEMS ARE INCLUDED

- black aluminium profile 2m
- diffuser 2m (cover)
- mounting clips x 6
- end-caps aluminium x 4, with screws

PROFILE DUO 2M

OVERVIEW

PRODUCT CODE	68903
GTIN-CODE	6438400000674
ELECTRICAL NUMBER	4118872
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	
LAMP TYPE	

SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 48.5 x 17.7
MOUNTING METHOD	
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	
INGRESS PROTECTION CODE	
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_led-duo.pdf

PROFILE DUO 2M

