



## PROFILE DECKER

without led-strip | aluminium 2,0 m

Product code: 68911

### Aluminum profile for LED strips

LIMENTE PROFILE DECKER is designed for installing LIMENTE RIBBON led strip. LIMENTE PROFILE DECKER projects light both forward and to the sides. The profile comes with a separate attachment board, which fits the power supply cord of the led strip. Use LIMENTE PROFILE DECKER to highlight the shapes of your furniture by installing the fixture between your furniture to create a stylish light beam or use the fixture as general functional lighting e.g. inside a mirrored bathroom cabinet to have a pleasant, three-way lighting.

The profile has a standard length of 2 meters and can be shortened to a desired length using a hacksaw or a circular saw. When the profile is cut to a proper length, simply install the led strip inside. Installation tools and attachment brackets as well as end pieces are included.

[Learn more from our website](#)

### Dimming and lighting control

Combine any LIMENTE RIBBON led strip with either LIMENTE SMART CLASSIC, LUXUS ja GREENLINE series wireless dimming and lighting control system. With our SMART systems, you can easily change the lighting and ambience in your home from efficient and bright to dim and cozy with just a push of a button.

[Learn more from our website](#)

### Installation

LIMENTE profiles are cut to a desired length using a hacksaw or a circular saw, the attachment board is fastened to the desired place with screws and the profile is attached by pressing it onto the attachment board.

#### THE FOLLOWING ITEMS ARE INCLUDED

- aluminium profile 2m
- diffuser 2m (cover)
- mounting profile 2m
- end-caps x 8

## PROFILE DECKER 2M

### OVERVIEW

PRODUCT CODE	68911
GTIN-CODE	6438400001886
ELECTRICAL NUMBER	4118947
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	
LAMP TYPE	

### SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 19.1 x 20.0
MOUNTING METHOD	
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	
INGRESS PROTECTION CODE	
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-decker.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-decker.pdf</a>

## PROFILE DECKER 2M

