

PROFILE ECOLINE

without led-strip | aluminum 2,0 m

Product code: 68917



Aluminum profile for LED strips

NOTE Available to order from our sales service. Sold in batches of 50!

LIMENTE PROFILE ECOLINE is designed for installing LIMENTE PRO led strip. You can use the profile to install the led strip in a kitchen workspace or in a utility room. The profile has a standard length of 2 meters and can be shortened to a desired length using a hacksaw or a circular saw. When the profile is cut to a proper length, simply install the led strip inside. ECOLINE aluminum profile is available in batches of 50 in two colors: aluminum and white.

[Learn more from our website](#)

Dimming and lighting control

Combine any LIMENTE PRO led strip with either LIMENTE SMART CLASSIC, LUXUS and GREENLINE series wireless dimming and lighting control system. With our SMART systems, you can easily change the lighting and ambience in your home from efficient and bright to dim and cozy with just a push of a button.

[Learn more from our website](#)

Installation

LIMENTE profiles are cut to a desired length using a hacksaw or a circular saw and secured in place with the supplied installation tools and attachment brackets.



THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profiles 2m
- diffuser 2m (cover)
- mounting clips screws 4 pcs
- end-caps 4 pcs

PROFILE ECOLINE 2M ALUMINUM




OVERVIEW

PRODUCT CODE	68917
GTIN-CODE	6430022821989
ELECTRICAL NUMBER	4129612
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	
LAMP TYPE	

SPECIFICATIONS


PRODUCT DIMENSIONS	2000.0 x 17.0 x 7.0
MOUNTING METHOD	
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	
INGRESS PROTECTION CODE	
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_led-linea.pdf

PROFILE ECOLINE 2M ALUMINUM




PROFILE ECOLINE 2M ALUMINUM

Ecoline + Smart 512



LIMENTE
HELSINKI

Ecoline + Greenline



LIMENTE
HELSINKI