



THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profile 2 m
- end pieces x 4
- mounting clips x 6
- 2 x led-ribbon 2 m, with driver in both ends
- 3m power cords 2 pcs

DUO LUX

2m | 4000 K | white | 2 x 1700 lm/m | 192 led/m | CRI>90 Product code: 68942

An up & down wall light fixture

LIMENTE DUO IP44 LUX is a part of LIMENTE LUX collection. The LIMENTE LUX collection provides the best quality of light in technical features, such as efficiency and color rendering, and maximizes the lifespan of the product. DUO is a minimalistic and sleek wall light profile fixture that projects light up and down. The fixture is available in both black and white. DUO can be used in private homes and in public spaces as an eye-catcher, a mood light or a functional light for reading or above a couch.

You can control both the upward projecting light and the downward projecting light separately when needed. Using DUO enables carrying out beautiful and stylish indirect lighting designs in different kinds of spaces, including in the bathroom due to the fixtures IP44 classification.

Learn more from our website

Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cosy by dimming your LIMENTE DUO with our wireless system. You can use the same switch to adjust all LIMENTE lights in the room, including various ceiling, panel and profile lights. The light adjusts smoothly at the same time in every fixture while creating ambience for working, entertaining or any mood in between.

Learn more from our website

Easy installation

LIMENTE DUO IP44 LUX is fast and easy to install. Simply fasten the attachment board to the desired place with screws and attach the fixture by pressing it onto the attachment board.

Learn more from our website

DUO 20 LUX 4K WH PROFILE LIGHT

OVERVIEW

| PRODUCT CODE | 68942 |
|-------------------|------------------------------------|
| GTIN-CODE | 6438400001022 |
| ELECTRICAL NUMBER | 4129673 |
| ETIM GENERAL NAME | Light ribbon-/hose/-strip |
| ETIM CLASS | Light ribbon-/hose/-strip EC002706 |
| ETIM GROUP | 41 Domestic light fittings |
| COLOUR | White |
| LAMP TYPE | LED |

SPECIFICATIONS

| PRODUCT DIMENSIONS | 2000.0 x 48.5 x 17.8 |
|-----------------------------------|--|
| MOUNTING METHOD | Surface mounting |
| COLOUR TEMPERATURE | 4000 K |
| COLOUR RENDERING INDEX CRI | > 90 |
| RATED LIFE TIME | 120.000h |
| ENERGY EFFICIENCY CLASS | |
| LUMINOUS FLUX | 2 x 1700 lm/m |
| EFFICIENCY | 130/135 lm/W |
| VOLTAGE | 24 V DC |
| INGRESS PROTECTION CODE | IP44 |
| NUMBER OF LEDS/M | 180 |
| INPUT POWER | 2 x 28W |
| NUMBER OF SWITCHING CYCLES | > 50 000 |
| AMBIENT TEMPERATURE RANGE | -20°C -+50°C |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | 36 |
| INSTALLATION AND OPERATING MANUAL | https://www.limente.fi/Images/productpics/instructions/limente_led-duo.pdf |

DUO 20 LUX 4K WH PROFILE LIGHT

RECOMMENDED ACCESSORIES

| PRODUCT CODE | PRODUCT |
|--------------|--|
| LED28030 | LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS |
| LED28060 | LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS |
| LED28100 | LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS |
| 640551 | SMART 551, LUXUS LIGHTCONTROL KIT, 24 V, WHITE |
| 640552 | SMART 552, LUXUS LIGHTCONTROL KIT, 24 V, WHITE |
| 640554 | SMART 554, LUXUS LIGHTCONTROL KIT, 24 V, BLACK |
| 640556 | SMART 556, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE |
| 640557 | SMART 557, GREENLINE LIGHTCONTROL KIT, 24 V, WHITE |
| 640425 | SMART 425, WIRELESS LIGHT CONTROL |

DUO 20 LUX 4K WH PROFILE LIGHT

