


DECKER 40 CCT

2m | 2700 - 6000 K | aluminum | IP44 | 1500 lm/m | CRI>90
Product code: 68987



Accent lighting to highlight shapes and furniture in your home, color temperature adjustable

LIMENTE DECKER CCT illuminates both forward and to the sides. The fixture comes with a separate attachment board, which fits the power supply cord of the led strip. Use LIMENTE DECKER CCT to highlight the shapes of your furniture by installing the fixture between your furniture to create a stylish light beam or use the fixture as general functional lighting e.g. inside a mirrored bathroom cabinet to have a pleasant, three-way lighting. The light is stylish and continuous with no connection points interrupting the light, which provides even light throughout the area.

See "Installation pictures" for tips on how to use DECKER B to illuminate furniture in the kitchen or in the bathroom. LIMENTE DECKER profiles are available in multiple lengths (2-6m) and three different color temperatures (3000K, 4000K and 2700K-6000K) in both IP20 and IP44 versions. The profile itself has a standard length of 2m and can be shortened to a desired length.

[Learn more from our website](#)

Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE DECKER CCT with our wireless system. You can use the same switch to adjust all the LIMENTE CCT lights in the room. The light and color temperature adjust smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

Easy installation

LIMENTE DECKER CCT is fast and easy to install. Simply fasten the attachment board to the desired place with screws and attach the fixture by pressing it onto the attachment board.

[Learn more from our website](#)



THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profile 2 m x 2
- end pieces x 16
- mounting rail 2m x 2
- led-ribbon 4 m, with 1,5 m power cord in both ends
- 1,5 m power cords 2 pcs

DECKER 40 CCT 58W 2700-6000K AL

OVERVIEW

PRODUCT CODE	68987
GTIN-CODE	6438400002593
ELECTRICAL NUMBER	4129787
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Indoor luminaires
COLOUR	Alulook
LAMP TYPE	Kiinteä led

SPECIFICATIONS

PRODUCT DIMENSIONS	4000.0 x 19.1 x 20.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	120.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	180
INPUT POWER	58 W
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	-20°C +- 50°C
INPUT POWER CONNECTOR	CCT, hole diameter 12 mm
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	

DECKER 40 CCT 58W 2700-6000K AL

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
640561	SMART 561, LUXUS CCT-CONTROL, 24 V, WHITE
640562	SMART 562, GREENLINE CCT-CONTROL, 24 V
640563	SMART 563, LUXUS CCT-CONTROL, 240 V, WHITE
630581	MINI-2, STAINLESS STEEL
630681	MINI-3, STAINLESS STEEL
640572	SMART-SET 572, GREENLINE LIGHTCONTROL SET, 24 V, BLACK
640571	SMART-SET 571, LUXUS LIGHTCONTROL SET, 24 V, WHITE
632014	ECON-2, WHITE
632019	ECON-2, BLACK
632011	ECON-2, ALULOOK
632039	ECON-3, BLACK
632034	ECON-3, WHITE
632031	ECON-3, ALULOOK
630581	MINI-2, STAINLESS STEEL
630581	MINI-2, STAINLESS STEEL
630584	MINI-2, WHITE
630589	MINI-2, BLACK
630681	MINI-3, STAINLESS STEEL
630681	MINI-3, STAINLESS STEEL
630684	MINI-3, WHITE
630689	MINI-3, BLACK

DECKER 40 CCT 58W 2700-6000K AL

