



## SEAM 20 CCT LUX

2m | 2700 - 6000 K | aluminum | IP44 | 2x1500 lm/m | CRI>90  
Product code: 68991

### An unnoticeable mood light fixture for shelves with color temperature adjustment

LIMENTE SEAM IP44 B is a minimalistic and unnoticeable light profile fixture that projects light up and down. The fixture can be used in showcases or shelves on a wall. The only limit is your imagination! When installed near the back end of a shelf, the fixture is extremely inconspicuous still providing excellent mood lighting, whereas when placed near the front end of a shelf, the fixture provides more working light. Whichever your choice, the light is always stylish and continuous with no connection points interrupting the light, which provides even light throughout the area.

See "Installation pictures" for tips on how to use SEAM IP44 B as indirect lighting when placed behind shelves in the kitchen or in the living room, or even inside a wardrobe to light the closet! LIMENTE SEAM profiles are available in multiple lengths (2-6m) and three different color temperatures (3000K, 4000K and 2700K-6000K). The profile itself has a standard length of 2m and can be shortened to a desired length.

[Learn more from our website](#)

### Dimming and lighting control

Appropriate lighting for any occasion is made easy with our dimming and lighting control system. You can easily change the lighting and ambience in your home from efficient and bright to dim and cozy by dimming your LIMENTE SEAM IP44 CCT with our wireless system. You can use the same switch to adjust all the LIMENTE CCT lights in the room. The light and color temperature adjust smoothly at the same time while creating ambience for working, entertaining or any mood in between.

[Learn more from our website](#)

### Installation

LIMENTE SEAM IP44 CCT is fast and easy to install with the installation tools included.

[Learn more from our website](#)

#### THE FOLLOWING ITEMS ARE INCLUDED

- aluminum profile 2 m
- led-ribbon 2 m, with 1,5m power cord in both ends
- 1,5 m power cords 2 pcs



## SEAM 20 CCT LUX AL PROF.LIGHT

## OVERVIEW

PRODUCT CODE	68991
GTIN-CODE	6438400002654
ELECTRICAL NUMBER	4129791
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	41 Domestic light fittings
COLOUR	Alulook
LAMP TYPE	LED

## SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 18.4 x 23.9
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	2 x 1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP44
NUMBER OF LEDS/M	180
INPUT POWER	2 x 29 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	12
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-seam.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-seam.pdf</a>

## SEAM 20 CCT LUX AL PROF.LIGHT

## RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
LED28030	LIMENTE POWER SUPPLY, WHITE, 24 V, 30W, INTEGRATED CONNECTORS
LED28060	LIMENTE POWER SUPPLY, WHITE, 24 V, 60W, INTEGRATED CONNECTORS
LED28100	LIMENTE POWER SUPPLY, WHITE, 24 V, 100W, INTEGRATED CONNECTORS
640560	SMART 560, CCT RECEIVER, CCT 24 V
640561	SMART 561, LUXUS CCT-CONTROL, 24 V, WHITE
640562	SMART 562, GREENLINE CCT-CONTROL, 24 V, WHITE
640563	SMART 563, LUXUS CCT-CONTROL, 24 V, BLACK

## SEAM 20 CCT LUX AL PROF.LIGHT

