

SAUNA-NEON LED-RIBBON SET 2700K,

5M | 166 LEDs/m | 725 lm/m | Ra>90 | IP67

Product code: 68994



Versatile Sauna-NEON Strip and Power Supply

The strip is designed for humid and hot environments, making it ideal not only for sauna lighting but also as indirect light behind bathroom mirrors, in toe kicks, furniture, ceilings, and anywhere a discreet lighting solution is desired. Especially when installed in a LIMENTE SAUNA PROFILE, the light is pleasantly uniform and smooth.

This powerful and trimmable LED strip is specifically designed for the demanding conditions of a sauna. The LEDs are placed very close together (166 LEDs/m) and the wide 120-degree beam angle distributes light beautifully and evenly, allowing for the creation of impressive light effects on the walls. The strip is engineered to withstand heat up to 100 °C and is moisture-protected (IP65), making it a perfect fit for the sauna environment. It features high-quality LEDs as standard, with a color rendering index of CRI>90, an efficiency of 120 lm/W, a light output of 725 lm/m, and a color temperature of 2700 K (minor variations in color temperature may occur between production batches).

[Learn more from our website](#)

Dimming and lightcontrol

The power supply for the SAUNA-LED and SAUNA-NEON strips must be connected to a fixed switch, allowing the lights to be turned on and off. NOTE! The power supply for the SAUNA-LED and SAUNA-NEON strips is non-dimmable.

Installation

Installation of the LIMENTE SAUNA luminaire is quick and easy to perform.

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

SAUNA-NEON SET 5M 2700K

OVERVIEW

PRODUCT CODE	68994
GTIN-CODE	6430022827349
ELECTRICAL NUMBER	4158059
ETIM GENERAL NAME	Light ribbon-/hose/-strip
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	
COLOUR	
LAMP TYPE	Kiinteä led

SPECIFICATIONS

PRODUCT DIMENSIONS	5000.0 x 7.0 x 13.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	2700 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	84.000h
ENERGY EFFICIENCY CLASS	E
LUMINOUS FLUX	725 lm
EFFICIENCY	120 lm/W
VOLTAGE	24 V DC
INGRESS PROTECTION CODE	IP67
NUMBER OF LEDS/M	180
INPUT POWER	28 W
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	Fixed installation
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_saunaled_saunanon.pdf

SAUNA-NEON SET 5M 2700K

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
68992	PROFILE SAUNA, WITHOUT LED-STRIP, ALUMINUM 5 X 1,0 M
68911	PROFILE DECKER, WITHOUT LED-STRIP, ALUMINIUM 2,0 M

SAUNA-NEON SET 5M 2700K

