
LIMENTE



892

floor socket | Shuko + TV-SAT-R Product code: 892003

Floorsocket 892

Limente floor sockets offer a stylish and timeless solution for distributing electricity, data, and antenna signals in all kinds of locations. Floor sockets are particularly convenient in car dealerships, supermarkets, stores, offices, commercial spaces, ships, and even in homes around kitchen islands. The washable and drive-over sockets are especially suitable for larger open spaces such as hypermarkets, car dealerships, cafes, and restaurant customer areas. Sockets intended for dry indoor installations are designed for offices and meeting or office spaces.

All Limente floor sockets are made with either aluminum or stainless steel frames, and their covers can be metal or the same material as the floor (carpet, wood, stone, laminate, parquet, etc.)

Learn more from our website

Socket content options

A socket can be equipped as follows (other connectors are available on special order):

Learn more from our website

Installation and Electrical Connection

The socket is installed as part of the floor by installing it into the floor casting. For this purpose, a separately sold leveling system (product number 680825) can be utilized, which allows the socket to be set at the desired height in 20mm increments.

Learn more from our website

THE FOLLOWING ITEMS ARE INCLUDED

- 1 x Shuko (protected grounded 230 V socket)
- 1 x TV-SAT-R
- · removable hinged lid

Date: 22.04.2024 | Page 1 (4



FLOOR SOCKET 892-SA

OVERVIEW

PRODUCT CODE	892003
GTIN-CODE	6430022822894
ELECTRICAL NUMBER	2509145
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	
LAMP TYPE	

SPECIFICATIONS

PRODUCT DIMENSIONS	155.0 x 90.0 x 155.0
MOUNTING METHOD	Flush mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	-20°C~50°C
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/Limente_892_uppokansi.pd

Date: 22.04.2024 | Page 2 (4)



FLOOR SOCKET 892-SA

RECOMMENDED ACCESSORIES

PRODUCT CODE	PRODUCT
680825	PLACE HOLDER 892 JA 894, PLACE HOLDER 892 JA 894

Date: 22.04.2024 | Page 3 (4

LIMENTE

FLOOR SOCKET 892-SA

