
LIMENTE



894

floor socket | 3 x Shuko + RJ45 Product code: 894006

Floorsocket 894HARJA

Limente floor sockets offer a stylish and timeless solution for distributing electricity, data, and antenna signals in all kinds of locations. Floor sockets are particularly convenient in car dealerships, supermarkets, stores, offices, commercial spaces, ships, and even in homes around kitchen islands. The washable and drive-over sockets are especially suitable for larger open spaces such as hypermarkets, car dealerships, cafes, and restaurant customer areas. Sockets intended for dry indoor installations are designed for offices and meeting or office spaces.

All Limente floor sockets are made with either aluminum or stainless steel frames, and their covers can be metal or the same material as the floor (carpet, wood, stone, laminate, parquet, etc.)

Learn more from our website

Socket content options

A socket can be equipped as follows (other connectors are available on special order):

Learn more from our website

Installation and Electrical Connection

The socket is installed as part of the floor by embedding it into the concrete floor. For this purpose, a separately sold leveling system (product number 680825) can be used to adjust the socket to the desired height in 20mm increments.

Learn more from our website

THE FOLLOWING ITEMS ARE INCLUDED

- 3 x Shuko (protected grounded 230 V socket)
- 1 x RJ45 double
- · removable hinged lid with brush



FLOOR SOCKET 894-SSSR BRUSHED

OVERVIEW

| PRODUCT CODE | 894006 |
|-------------------|---------------|
| GTIN-CODE | 6430022823136 |
| ELECTRICAL NUMBER | 2509161 |
| ETIM GENERAL NAME | |
| ETIM CLASS | |
| ETIM GROUP | |
| COLOUR | |
| LAMP TYPE | |

SPECIFICATIONS

| PRODUCT DIMENSIONS | 205.0 x 90.0 x 155.0 |
|-----------------------------------|---|
| MOUNTING METHOD | Flush mounting |
| COLOUR TEMPERATURE | |
| COLOUR RENDERING INDEX CRI | |
| RATED LIFE TIME | |
| ENERGY EFFICIENCY CLASS | |
| LUMINOUS FLUX | |
| EFFICIENCY | |
| VOLTAGE | 240 V |
| INGRESS PROTECTION CODE | IP10 |
| NUMBER OF LEDS/M | |
| INPUT POWER | |
| NUMBER OF SWITCHING CYCLES | |
| AMBIENT TEMPERATURE RANGE | -20°C~50°C |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | |
| INSTALLATION AND OPERATING MANUAL | https://www.limente.fi/Images/productpics/instructions/Limente_894_uppokansi.pd |

Date: 08.04.2024 | Page 2 (4)



FLOOR SOCKET 894-SSSR BRUSHED

RECOMMENDED ACCESSORIES

| PRODUCT CODE | PRODUCT |
|--------------|--|
| 680825 | PLACE HOLDER 892 JA 894, PLACE HOLDER 892 JA 894 |

LIMENTE

FLOOR SOCKET 894-SSSR BRUSHED

