



LUXOR RIBCOM 2M + LUXA-31

1512 lm/m | 4000K | aluminium | LUXA-31 socket
Product code: 96263

Complete light set for kitchen workspace

The LIMENTE under-cabinet lighting set is a versatile, single product code under-cabinet lighting solution. Available in three finishes (white, black, and aluminium). The set offers a dual-sided light source that can be shortened to a maximum combined length of 200 cm. This lighting set provides efficient lighting controlled from the socket without the need for a separate lighting control system. The under-cabinet lighting set is available in two color temperatures: 3000K with a light flux of 1380 lm/m and an efficacy of 115 lm/W, and 4000K with a light flux of 1512 lm/m and an efficacy of 126 lm/W.

Installation and electrical connection

Installation of the LIMENTE under-cabinet lighting set is quick and easy with the installation accessories included.

[Learn more from our website](#)

Easy installation



THE FOLLOWING ITEMS ARE INCLUDED

- 2 m aluminium profile
- diffuser 2m (cover)
- mounting clips x 6
- end-caps x 4
- 2 m 3000 K led-ribbon
- 3 m power cord in both ends
- integrated 30W driver controlled by an integrated switch

S_LUXOR_RIBCOM4K_LUXA_ALU

OVERVIEW

PRODUCT CODE	96263
GTIN-CODE	6430022824423
ELECTRICAL NUMBER	4143180
ETIM GENERAL NAME	
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	
COLOUR	Alulook
LAMP TYPE	LED

SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 10.0 x 3.0
MOUNTING METHOD	Surface mounting
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	> 85
RATED LIFE TIME	84.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1512 lm/m
EFFICIENCY	126 lm/W
VOLTAGE	
INGRESS PROTECTION CODE	IP44/IP20
NUMBER OF LEDS/M	
INPUT POWER	24 W
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	

S_LUXOR_RIBCOM4K_LUXA_ALU

