



## LIGHTNING SET LUXOR RIBDOB 3M +

1300 lm/m | white | LUXA-31 socket

Product code: 96276

Complete light set for kitchen workspace with completely dot-free LED strip

The LIMENTE under-cabinet lighting set is a versatile, single product code under-cabinet lighting solution. Available in three finishes (white, black, and aluminum). The new DOB technology provides a completely dot-free light, which can be used in a profile even without a diffuser if desired.

The set offers a dual-sided light source that can be shortened to a maximum combined length of 200 cm. This lighting set provides efficient lighting controlled from the socket without the need for a separate lighting control system. The under-cabinet lighting set is available in two colour temperatures: 3000K and 4000K with a light flux of 1300 lm/m, an efficacy of 144 lm/W and the LEDs are very closely spaced (288 LEDs / meter).

### Installation and electrical connection

Installation of the LIMENTE under-cabinet lighting set is quick and easy with the installation accessories included. Specify the location where the power cord will be imported, or use an existing power cord. Specify the location where the power cord will be imported, or use an existing power cord. The power cord is plugged in from the wall. The socket is mounted at an angle against two solid, non-flammable surfaces so that its background does not remain open. The actual fastening is done with the help of the included screws. In one installation, you install both the sockets, the switch and power supply for the LED lights. See the installation instructions for more detailed instructions.

[Learn more from our website](#)

### THE FOLLOWING ITEMS ARE INCLUDED

- 2 m ad 1 m aluminium profile
- diffuser 2m and 1m (cover)
- mounting clips x 6
- end-caps x 4
- 3 m 4000 K led-ribbon
- 3 m power cord in both ends
- integrated 30W driver controlled by an integrated switch

## S\_LUX0R3\_RIBDOB4K\_LUXA\_WH

## OVERVIEW

PRODUCT CODE	96276
GTIN-CODE	6430022826236
ELECTRICAL NUMBER	4158053
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	White
LAMP TYPE	LED

## SPECIFICATIONS

PRODUCT DIMENSIONS	3000.0 x 8.0 x 2.3
MOUNTING METHOD	
COLOUR TEMPERATURE	4000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	102.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1300 lm/m
EFFICIENCY	144 lm/W
VOLTAGE	
INGRESS PROTECTION CODE	IP44/IP20
NUMBER OF LEDs/M	
INPUT POWER	27 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_KITLUXORDOB3M3_K_KITLUXORDOB3M4K.pdf">https://www.limente.fi/Images/productpics/instructions/limente_KITLUXORDOB3M3_K_KITLUXORDOB3M4K.pdf</a>

## S\_LUX0R3\_RIBDOB4K\_LUXA\_WH

