

## KIT-CCT 4M, DRIVER+DIMMER

24 V | 2700-6000K | 1500 lm/m | CRI>90

Product code: 96311



### CCT-set with driver and wireless lighting control with color temperature adjustment

LIMENTE RIBBON IP44 CCT LUX is a part of LIMENTE CCT collection, which is not only dimmable but the color temperature is adjustable. When adjusting the color temperature of lighting in your home, you can change the ambience to suit any mood. RIBBON IP44 CCT LUX is an efficient led strip with LEDs very close to each other (196 LEDs / m). You can use RIBBON either in a kitchen as working light or as indirect light behind mirrors, in plinths, in ceilings, and in any space, where the light source needs to be as invisible as possible. The light is stylish and continuous as well as pleasantly even especially when installed on LIMENTE LIGHT PROFILE.

LIMENTE RIBBON IP44 CCT LUX is available in standard lengths of 2 and 4 meters. The led strip can be shortened to a desired length at 6,6 cm intervals. LIMENTE RIBBON IP44 CCT LUX comes with quality LEDs with a color rendering index of  $R_a > 90$ , an efficiency of 105 lm/W, a luminosity of 683 - 1505 lm/m and a color temperature of about 2700-6000K. The fixture includes a matte protective glass diffuser, which makes the light even and continuous and makes the light a bit warmer in color temperature. All technical values are given to the led strip without a diffuser.

[Learn more from our website](#)

### Adjusting the lights

By adjusting the lights, you can always customize the lighting and create the right lighting for your home. By dimming the LIMENTE lights, you change the lighting in your home from efficient and bright to dim and cozy. If you wish, you can use the same switch to adjust all the LIMENTE lights in the room, including the various ceiling, panel and working lights. The lights adjust evenly, smoothly and simultaneously, changing the atmosphere of the entire space at once. With the LIMENTE SMART dimmer, you can continuously adjust the light output of the LIMENTE LED lights from 0 to 100%.

[Learn more from our website](#)

### Installation

#### THE FOLLOWING ITEMS ARE INCLUDED

- led-ribbon, with 1,5m power cord connectors in both ends
- 2 x 1,5m power cord with TOP connector
- driver 30W
- CCT wireless control
- battery
- CCT receiver with quick connector
- manifold

## KIT-CCT 4M, DRIVER+DIMMER


## OVERVIEW

PRODUCT CODE	96311
GTIN-CODE	6430022821231
ELECTRICAL NUMBER	
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	White
LAMP TYPE	LED

## SPECIFICATIONS


PRODUCT DIMENSIONS	4000.0 x 10.0 x 3.0
MOUNTING METHOD	
COLOUR TEMPERATURE	2700 - 6000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	35.000h (L80B10)
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	1500 lm/m
EFFICIENCY	105 lm/W
VOLTAGE	
INGRESS PROTECTION CODE	IP44/IP20
NUMBER OF LEDS/M	
INPUT POWER	58 W
NUMBER OF SWITCHING CYCLES	> 50 000
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	<a href="https://www.limente.fi/Images/productpics/instructions/limente_led-ribbon-cct.pdf">https://www.limente.fi/Images/productpics/instructions/limente_led-ribbon-cct.pdf</a>

## KIT-CCT 4M, DRIVER+DIMMER




## KIT-CCT 4M, DRIVER+DIMMER

Smart Luxus CCT



LIMENTE  
HELSINKI

Smart Luxus CCT + Led-Corner CCT



LIMENTE  
HELSINKI