LIMENTE



BREAKFAST CABINET SET 2X2M

500 lm/m | aluminum | SMART door sensor+socket Product code: 96374

Versatile breakfast set with door sensor and socket

LIMENTE breakfast cabinet set is a versatile solution that includes everything you need to equip your breakfast cabinet. The set is complete, including a vertical or horizontal profile light, driver, and sensor that turns on the lights when you open the cabinet door and the socket.

The breakfast cabinet is optimized with a soft, ambient light that can be left on for mood lighting. The profile, positioned at the front edge, directs a pleasant glow into the cabinet without glare. The sleek, continuous light has no visible seams and provides even illumination across the entire area.

Learn more from our website

Lighting

LIMENTE SMART 512 acts as an automatic door ON / OFF switch or when used as a door switch, the switch turns on the lights when the door is opened and turns them off when the door is closed.

Learn more from our website

Easy installation

The installation of the LIMENTE breakfast cabinet set is quick and easy with the included installation accessories and instructions.

Learn more from our website

THE FOLLOWING ITEMS ARE INCLUDED

- 2 x 2m aluminumprofile aluminum
- 2 x 2m ledstrip
- 2 x cord 2m
- driver 30W
- 2 x Smart 512 door sensor
- Econ-3 socket, alulook

LIMENTE

BREAKFAST CABINET SET 2X2M VERTICALT + SOCKET

OVERVIEW

| PRODUCT CODE | 96374 |
|-------------------|---------------|
| GTIN-CODE | 6430022825505 |
| ELECTRICAL NUMBER | 4143123 |
| ETIM GENERAL NAME | |
| ETIM CLASS | |
| ETIM GROUP | |
| COLOUR | Alulook |
| LAMP TYPE | LED |

SPECIFICATIONS

| PRODUCT DIMENSIONS | 2000.0 x 19.0 x 19.0 |
|-----------------------------------|---|
| MOUNTING METHOD | |
| COLOUR TEMPERATURE | 3000 К |
| COLOUR RENDERING INDEX CRI | |
| RATED LIFE TIME | 102.000h |
| ENERGY EFFICIENCY CLASS | |
| LUMINOUS FLUX | |
| EFFICIENCY | |
| VOLTAGE | |
| INGRESS PROTECTION CODE | IP20 |
| NUMBER OF LEDS/M | |
| INPUT POWER | |
| NUMBER OF SWITCHING CYCLES | |
| AMBIENT TEMPERATURE RANGE | |
| INPUT POWER CONNECTOR | |
| WARRANTY PERIOD (MONTHS) | 24 |
| ADDITIONAL COVER (MONTHS) | |
| INSTALLATION AND OPERATING MANUAL | https://www.limente.fi/Images/productpics/instructions/limente_ribbon-pro.pdf |

LIMENTE

BREAKFAST CABINET SET 2X2M VERTICALT + SOCKET











