

CLOSET SET NEONMINI-35 2M

3000K | Ra>90 | door sensor

Product code: 96427



Slim NEON Mini-35 closet set with door sensor

LIMENTE NeonMini cabinet set is a versatile solution that includes everything you need to equip your cabinet. The set includes a strip, driver and sensor that turns on the lights when you open the cabinet door.

The cabinet set is specifically designed for mood lighting and applications where the light fixture needs to be recessed into the interior, remaining virtually invisible. The NeonMini is an exceptionally small strip, measuring only 3 x 5 mm. It is ideal for installation in grooves in the sides of closets, furniture, and for plinth or countertop accent lighting.

[Learn more from our website](#)

Adjusting the lighting

The LIMENTE NeonMini cabinet set is dimmable with the LIMENTE SMART 512 IR door switch. LIMENTE SMART 512 IR door switch acts as an automatic door ON / OFF switch or when used as a door switch, the switch turns on the lights when the door is opened and turns them off when the door is closed.

[Learn more from our website](#)

Installation

The installation of the LIMENTE NeonMini cabinet set is quick and easy with the included installation accessories and instructions.

[Learn more from our website](#)

THE FOLLOWING ITEMS ARE INCLUDED

- 2m ledstrip
- 2 x cord 3m
- driver 15W
- 2 x Smart 512 door sensor

S_2_NEONMINI3K_IR

OVERVIEW

PRODUCT CODE	96427
GTIN-CODE	6430022827837
ELECTRICAL NUMBER	4158098
ETIM GENERAL NAME	
ETIM CLASS	Light ribbon-/hose/-strip EC002706
ETIM GROUP	
COLOUR	White
LAMP TYPE	LED

SPECIFICATIONS

PRODUCT DIMENSIONS	2000.0 x 5.0 x 3.0
MOUNTING METHOD	
COLOUR TEMPERATURE	3000 K
COLOUR RENDERING INDEX CRI	> 90
RATED LIFE TIME	84.000h
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	255 lm/m
EFFICIENCY	50 lm/W
VOLTAGE	
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	9,6 W
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	24
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	https://www.limente.fi/Images/productpics/instructions/limente_komeroneon35.pdf

S_2_NEONMINI3K_IR

