

LIMENTE INSET

socket | alulook

Product code: INSET



Recessed table top socket

INSET is a recessed tabletop socket designed for homes and offices. It has three sockets that are neat and simple to use. The sockets are covered with a alulook lid. Sockets are at an angle of 45 degrees so they are easy to access and are immediately visible when the lid is opened. When the lid is closed, wires can pass through the front edge of the cover.

In the front of the socket there is a space for the cables, which allows you to close the cover neatly even when you have plugs attached. In this way, the lid prevents dust and dirt from going into the socket. When plugged into electrical appliances, keep the cover closed. The cover is not intended to be kept open. When the lid is closed, wires can pass through the front edge of the cover.

Simple and fast installation

For the INSET socket, you only need to make a right size hole in the tabletop, insert the socket and screw it into place with two screws. The table thickness should be up to 30 mm in order to use the supplied fastening screws. The product is supplied with a 2 m long power supply plug that is plugged into an outlet and the other end to a wall outlet.

THE FOLLOWING ITEMS ARE INCLUDED

- socket with 2m supply cable
- grounded plug

LIMENTE INSET

OVERVIEW

PRODUCT CODE	INSET
GTIN-CODE	
ELECTRICAL NUMBER	
ETIM GENERAL NAME	
ETIM CLASS	
ETIM GROUP	
COLOUR	
LAMP TYPE	

SPECIFICATIONS

PRODUCT DIMENSIONS	
MOUNTING METHOD	Flush mounting
COLOUR TEMPERATURE	
COLOUR RENDERING INDEX CRI	
RATED LIFE TIME	
ENERGY EFFICIENCY CLASS	
LUMINOUS FLUX	
EFFICIENCY	
VOLTAGE	240 V
INGRESS PROTECTION CODE	IP20
NUMBER OF LEDS/M	
INPUT POWER	
NUMBER OF SWITCHING CYCLES	
AMBIENT TEMPERATURE RANGE	
INPUT POWER CONNECTOR	
WARRANTY PERIOD (MONTHS)	
ADDITIONAL COVER (MONTHS)	
INSTALLATION AND OPERATING MANUAL	http://www.lapetek.fi//tuotekuvat/ao/lapetek_inset-3.pdf

LIMENTE INSET

